




## China Abec 7 Bearings Supplier



### High Precision Koyo/SKF/NTN Miniature Deep Groove Ball Bearing 608 2RS 608zz 609 2RS 609zz

Bearing No. 608

608 Bearing 2D drawings and 3D CAD models

|                                  |                          |
|----------------------------------|--------------------------|
| Size                             | 8x22x7 mm                |
| Bore Diameter                    | 8 mm                     |
| Outer Diameter                   | 22 mm                    |
| Width                            | 7 mm                     |
| d                                | 8 mm                     |
| D                                | 22 mm                    |
| B                                | 7 mm                     |
| C                                | 7 mm                     |
| r min.                           | 0,3 mm                   |
| r1 min.                          | 0,3 mm                   |
| da min.                          | 10 mm                    |
| Da max.                          | 20 mm                    |
| ra max.                          | 0,3 mm                   |
| Weight                           | 0,012 Kg                 |
| Basic dynamic load rating<br>(C) | 3,3 kN                   |
| Basic static load rating (C0)    | 1,35 kN                  |
| (Grease) Lubrication Speed       | 34000 r/min              |
| (Oil) Lubrication Speed          | 41000 r/min              |
| Category                         | Single Row Ball Bearings |
| Inventory                        | 0.0                      |
| Manufacturer Name                | KOYO                     |
| Minimum Buy Quantity             | N/A                      |
| Weight / Kilogram                | 0                        |
| Product Group                    | B00308                   |



## China Abec 7 Bearings Supplier

|                                 |   |
|---------------------------------|---|
| Enclosure                       | Open  |
| Precision Class                 | ABEC 1   ISO P0   |
| Maximum Capacity / Filling Slot | No  |
| Rolling Element                 | Ball Bearing  |
| Snap Ring                       | No  |
| Internal Special Features       | No  |
| Cage Material                   | Steel   |
| Internal Clearance              | C0-Medium   |
| Inch - Metric                   | Metric  |
| Long Description                | 8MM Bore; 22MM Outside Diameter; 7MM Outer Race Width; Open; Ball Bearing; ABEC 1   ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features; C0-Medium Internal Clearance; Steel Cage |
| Other Features                  | Deep Groove   |
| Category                        | Single Row Ball Bearing   |
| UNSPSC                          | 31171504  |
| Harmonized Tariff Code          | 8482.10.50.68   |
| Noun                            | Bearing   |
| Keyword String                  | Ball  |
| Manufacturer URL                | <a href="http://www.koyousa.com">http://www.koyousa.com</a>   |
| Weight / LBS                    | 0.0265  |
| Outside Diameter                | 0.866 Inch   22 Millimeter  |
| Outer Race Width                | 0.276 Inch   7 Millimeter   |
| Inner Race Width                | 0 Inch   0 Millimeter   |
| Bore                            | 0.315 Inch   8 Millimeter   |
| Bearing No.                     | 608   |
| r(min)                          | 0.3   |
| Cr                              | 4.10  |
| C0r                             | 1.35  |
| Cu                              | 0.060   |



## China Abec 7 Bearings Supplier

|                 |       |
|-----------------|-------|
| f0              | 12.4  |
| Grease lub.     | 34000 |
| Oil lub.        | 41000 |
| da(min)         | 10    |
| Da(max)         | 20    |
| ra(max)         | 0.3   |
| (Refer.)Mass(g) | 12    |